



SOUTHERN ALLOY CORPORATION

Telephone (256) 245-5237
FAX (256) 245-4992

36280 U. S. Highway 280
P. O. Box 1168

SYLACAUGA, AL 35150



COVID-19 Screening for Visitors and Contractors

To prevent the spread of COVID-19 and reduce the potential risk of exposure to our employees, and visitors, we are conducting a simple screening questionnaire. Your participation is important to help everyone take precautionary measures to protect yourself and others around you.

This questionnaire must be completed by all visitors and contractors prior to entering our property.

Name:(Print Clearly)	Telephone numbers: Personal Company
Company/Organization:	Southern Alloy Contact (if known):
Today's Date:	Southern Alloy Facility being Visited:

Have you returned from one of the countries listed in the Level 3 CDC Travel Health Notices in the last 14 days?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Have you had close contact or cared for someone diagnosed with, or suspected to have, COVID-19 within the last 14 days?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Have you been in close contact with anyone who has travelled to one of the countries listed in the Level 3 CDC Travel Health Notices within the last 14 days?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Have you experienced any cold or flu-like symptoms in the last 14 days? (to include one or several of the following: fever, cough shortness of breath)	<input type="checkbox"/> Yes	<input type="checkbox"/> No

If the answer is yes to any of the above questions, access to the facility will be denied.

If returning to the facility in the future, and your situation has changed resulting in a yes to any of the questions, **DO NOT ENTER THE FACILITY**, and notify your Southern Alloy Corporation contact immediately.

Signature

**This form should be completed, signed and returned to
purchasing@southernalloy.com in either PDF or JPG/PNG form prior to
entry of our premises.**